

### 4500 Series Thin Clients

Model Numbers: 4572, 4510

### Industry Leading Endpoints & Management for VDI

The 10ZiG 4500 Series is a secure, powerful, choice endpoint ideal for federal, military, and enterprise organizations like finance and healthcare, needing the highest levels of security. Comes with 4K dual monitor support and rare Fiber option at a value cost. Supportive of VMware, Citrix, Microsoft, Parallels, Amazon WorkSpaces, and more. Equipped with free centralized management via The 10ZiG Manager™, which comes cloud-enabled with unlimited user licenses. Covered by a 3-Year Advance Warranty, technical support, and software upgrades. Also available in a Zero Client device.



▶ Intel Dual Core N3060 1.6GHz (2.48GHz Burst)
▶ 4K UHD with Dual Monitor Support*
▶ 2 x USB Port 3.0, 3 x USB Port 2.0
▶ RJ45 LAN (Optional Fiber LAN)
▶ Optional TAA Compliant
▶ Optional TPM 2.0 (Windows Only)
▶ Optional Wireless (External Antenna)
▶ Support VESA Mount and Kensington Lock
▶ FREE Centralized Management via The 10ZiG Manager™

# 4500 Series Thin Clients



System	
Management	The 10ZiG Manager™
Form Factor	Ultra Mini
Processor	Intel Dual Core N3060 1.6GHz (2.48GHz Burst)
Processor Graphics	Intel HD Graphics
Dimensions	
Device	5.5" (D) x 2.4" (W) x 6.6" (H) in.
Weight	1.39 lbs. (0.63 kg.)
Connections	
Ports on Device	1 x DisplayPort, 1 x HDMI, 2 x USB Port 3.0, 3 x USB Port 2.0, 1 x Mic-In, 1 x Line-Out, 1 x LAN (RJ45 or Fiber option), 1 x DC Jack
Video Resolution	3840 x 2160 @ 30Hz / 2560 x 1600 @ 60Hz (2 monitors at 4K UHD*)
Networking	
Wireless	Optional (802.11 a/b/g/n/ac External Antenna)
Ethernet	10/100/1000 Base-T, RJ45 LAN or Fiber Optional
Environmental	
Operating Temp.	32° - 95°F (0° - 35°C), 20-80% non-condensing humidity



### SPECIFICATIONS

1. Power Button
2. USB 3.0 (2)
3. Mic-In
4. Line-Out
5. External Antenna Hole
6. USB 2.0 (3)
7. HDMI Port
8. DisplayPort
9. RJ45 LAN / Fiber LAN
10. DC Jack
11. Kensington Lock Slot

4572

4510

### Operating System

PeakOS™ (Linux)

Windows 10 IoT

Memory	PeakOS™ (Linux)	Windows 10 IoT
RAM	Std: 2GB Max: 8GB	Std: 4GB Max: 8GB
Storage	Std: 4GB Max: 256GB	Std: 16GB Max: 256GB
Software		

Software Applications	PeakOS™ (Linux)	Windows 10 IoT
	Citrix Workspace App, VMware Horizon Client, FreeRDP Client, Parallels Client, Firefox, Google Chrome*, Adobe Reader, Putty, VNC (Shadowing), OpenOffice*, iSeries/5250 Emulation*	Citrix Workspace App, RDP, Windows Virtual Desktop Client, VMware Horizon Client, Amazon WorkSpaces Client*, Workspot Client, Parallels RAS Client, Edge Browser VNC (Shadowing), 10ZiG Quick Start & UWF Wizard

Connection Servers	PeakOS™ (Linux)	Windows 10 IoT
	VMware: Horizon, Workspace One, Horizon Security Server, Unified Access Gateway Citrix: Storefront, Netscaler, Citrix Cloud RDP: Direct RDP, RD Gateway, RD Load Balancer, RD Web Parallels RAS	VMware Horizon, Workspace One, Horizon Security Server, Unified Access Gateway, Citrix Storefront, Netscaler, Citrix Cloud, Windows Virtual Desktop, Amazon Workspaces, Parallels RAS, Workspot VDI

Note: 4K performance dependent upon your current VDI Infrastructure and the necessary minimum requirements to support it.  
\*Optional Application may require alternative model; please speak to a sales representative to confirm.



Americas	P: +1 (866) 865-5250	E: info@10ZiG.com
EMEA	P: +44 (0) 116 214 8650	E: info@10ZiG.eu
APAC	P: +61 2 80027421	E: info@10ZiG.com.au
DE	P: +49 (0) 6724 9304-45	E: vertrieb@10zig.de

W: www.10ZiG.com

